



---

# **MECHANISM AND MACHINE THEORY**

---

Dynamics of Machine Systems  
Gears and Power Transmissions  
Robots and Manipulator Systems  
Computer-aided Design Methods

---

**List of Contents and Author Index  
Volume 31, 1996**



**PERGAMON**

# MECHANISM AND MACHINE THEORY

The scientific journal of IFToMM

The International Federation for the Theory of Machines and Mechanisms

## EDITOR-IN-CHIEF

**Professor T. E. Shoup**

Dean of Engineering and Sobrato Professor of Engineering, Santa Clara University, Santa Clara, CA 95053, USA  
e-mail: tshoup@scuacc.scu.edu

## EDITORIAL ASSISTANT

**Joy Neely**

School of Engineering, Santa Clara University, Santa Clara, CA 95053, USA  
e-mail: jneely@scuacc.scu.edu

## EDITORS

Rédacteur pour toutes les oeuvres écrites en langue française:

**Professor C. M. Gosselin**

Department of Mechanical Engineering, Université Laval, Québec, Canada G1K 7P4  
e-mail: gosselin@gmc.ulaval.ca

Russian language editor:

**Professor P. A. Lebedev**

Ul. Sergievskaja 22, Stary Petershoff, 198904 St Petersburg, Russia

Editor for book reviews and feature articles:

**Professor A. Midha**

School of Mechanical Engineering, Purdue University, 308 Mechanical Engineering Building, West Lafayette, IN 47907, USA  
e-mail: midha@ecn.purdue.edu

Editor for papers on dynamics of machine systems:

**Professor J. P. Sadler**

Department of Mechanical Engineering, University of Kentucky, Lexington, KY 40506-0046, USA  
e-mail: pete@engr.uky.edu

Editor for papers on manipulators, robotics and man-machine systems:

**Dr E. Heer**

5329 Crown Avenue, La Canada, CA 91011, USA  
e-mail: ewaldheer@aol.com

## EDITOR EMERITUS

**Professor F. R. E. Crossley**, Branford, Conn., USA

## ASSOCIATE EDITORS

**Professor B. Roth**, Stanford, Calif., USA

**Professor B. S. Thompson**, East Lansing, Mich., USA

**Professor H. S. Yan**, Tainan, Taiwan, ROC

## HONORARY EDITORIAL ADVISORY BOARD

**Dr R. S. Berkof**, Cresco, Pa, USA

**Professor G. Bianchi**, Milan, Italy

**Dr L. Cloutier**, Québec, Canada

**Professor Dr-Ing. B. Dizioğlu**, Braunschweig, Germany

**Professor S. Dubowsky**, Cambridge, Mass., USA

**Professor F. Freudenstein**, New York, N.Y., USA

**Professor R. S. Hartenberg**, Evanston, Ill., USA

**Professor K. H. Hunt**, Clayton, Victoria, Australia

**Dr J. Ishikawa**, Yokohama, Japan

**Professor I. Kato**, Tokyo, Japan

**Professor Dr F. L. Litvin**, Chicago, Ill., USA

**Professor L. Maunder**, Newcastle upon Tyne, UK

**Dr S. Molian**, Olney, Bucks., UK

**Professor Dr A. Morecki**, Warsaw, Poland

**Professor Dr J. Oderfeld**, Warsaw, Poland

**Dr E. Peizer**, New York, N.Y., USA

**Professor Jack Phillips**, Sydney, Australia

**Dr J. M. Prentis**, Cambridge, UK

**Professor J. S. Rao**, New Delhi, India

**Professor D. S. Tavkhelidze**, Tbilisi, Georgia

**Professor G. V. Tordion**, Québec, Canada

**Professor John J. Uicker Jr**, Madison, Wis., USA

**Professor J. Volmer**, Chemnitz, Germany

**Professor H. J. Warnecke**, Stuttgart, Germany

**Mr E. J. Wellauer**, Milwaukee, Wis., USA

**Professor Dr W. Wunderlich**, Vienna, Austria

**Professor A. T. Yang**, Davis, Calif., USA

## IFTToMM EXECUTIVE COUNCIL

President: **Professor J. Angeles**, Canada

Vice-President: **Professor Y. Hori**, Japan

Secretary General: **Professor Tatu Leinonen**, Finland

Treasurer: **Dr R. Bicker**, UK

Members: **Professor A. P. Bessonov**, Russia

**Professor J. K. Davidson**, USA

**Professor J. C. Guinot**, France

**Professor A. Rovetta**, Italy

**Professor G. Stépán**, Hungary

**Professor K. Wohlhart**, Austria

Past President: **Professor A. Morecki**, Poland

## Publishing Office

Production Editor: Ian Nutt

Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK  
[Tel. (01865) 843000; Fax (01865) 843010].

## Subscription and Advertising Offices

North America: Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, USA.

Rest of the World: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK  
[Tel. (01865) 843000; Fax (01865) 843010].

## Subscription Rates

Annual Institutional Subscription Rates 1996: North, Central and South America, US\$1241.00, Rest of the World £780.00. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice. Members of the US Council for the Theory of Machines and Mechanisms may order personal subscriptions at a concessional rate. Details of the rates are available on request.

## Back Issues

Back issues of all previously published volumes are available direct from Elsevier Science Offices (Oxford and New York). Complete volumes and single issues can be purchased for 1991-1995. Earlier issues are available in high quality photo-duplicated copies as complete volumes only. Back volumes on microfilm are available from UMI, 300 North Zeeb Road, Ann Arbor, MI 48106, USA.

## Copyright © 1996 Elsevier Science Ltd. All rights reserved

Periodicals postage paid at Newark, NJ. *Mechanism and Machine Theory* (ISSN 0094-114X) is published 8 issues per year in January, February, April, May, July, August, October and November, by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK. The annual subscription in the USA is \$1241. *Mechanism and Machine Theory* is distributed by Mercury Airfreight International Ltd, 10 Camptown Road, Irvington, NJ 07111-1105, USA. Postmaster: please send address corrections to *Mechanism and Machine Theory*, c/o Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, USA.

## List of Contents

### NUMBER 1

<b>Deng-Maw Lu and Wen-Miin Hwang</b>	1	Spherical four-bar linkages with symmetrical coupler-curves
<b>Deng-Maw Lu and Wen-Miin Hwang</b>	11	Synthesis of planar five-bar pantograph configurations by a geometric method
<b>Blaise Morton and Michael Elgersma</b>	23	A new computational algorithm for 7R spatial mechanisms
<b>Frédéric Boyer and Philippe Coiffet</b>	45	Symbolic modeling of a flexible manipulator via assembling of its generalized Newton Euler model
<b>D. P. Chevallier</b>	57	On the transference principle in kinematics: its various forms and limitations
<b>Özgür Turhan</b>	77	Dynamic stability of four-bar and slider-crank mechanisms with viscoelastic (Kelvin-Voigt model) coupler
<b>P. Minotti et V. Nocton</b>	91	Etude theorique d'un microtranslateur piezoelectrique à ondes stationnaires: une introduction aux futurs micromoteurs multi degres de liberte
<b>B. Lévesque et M. J. Richard</b>	109	Traitement des forces de traînée agissant sur les manipulateurs sous-marins
<b>Jungkeun Rhee and Adnan Akay</b>	121	Dynamic response of a revolute joint with clearance

### NUMBER 2

iii Obituary

v Postscript

<b>H. Bruyninckx and J. de Schutter</b>	135	Symbolic differentiation of the velocity mapping for a serial kinematic chain
<b>Clément M. Gosselin</b>	149	Kinematische und statische Analyse eines ebenen parallelen Manipulators mit dem Freiheitsgrad zwei
<b>Gao Feng, Zhao Yong-Sheng and Zhang Zhi-Hui</b>	161	Physical model of the solution space of 3-DOF parallel planar manipulators
<b>Gao Feng, Zhang Xiao-Qiu, Zhao Yong-Sheng and Wang Hong-Rui</b>	173	A physical model of the solution space and the atlas of the reachable workspace for 2-DOF parallel planar manipulators



- |                                                                     |     |                                                                                             |
|---------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------------|
| <b>Morgan D. Murphy,<br/>Ashok Midha and<br/>Larry L. Howell</b>    | 185 | The topological synthesis of compliant mechanisms                                           |
| <b>John J. McPhee,<br/>Milad G. Ishac and<br/>Gordon C. Andrews</b> | 201 | Wittenburg's formulation of multibody dynamics equations from a graph-theoretic perspective |
| <b>David Beale and<br/>Shyr Wen Lee</b>                             | 215 | Nonlinear equation instability boundaries in flexible mechanisms                            |
| <b>W. Wang and K. M. Marshek</b>                                    | 229 | Determination of load distribution in a threaded connector with yielding threads            |
| <b>L. A. Sanchez, S. J. Kleis<br/>and T. E. Shoup</b>               | 245 | Determining screw axes using holographic interferograms                                     |

### NUMBER 3

- |                                                 |     |                                                                                                                     |
|-------------------------------------------------|-----|---------------------------------------------------------------------------------------------------------------------|
| <b>A. C. Nearchou and<br/>N. A. Aspragathos</b> | 261 | Application of genetic algorithms to point-to-point motion of redundant manipulators                                |
| <b>Hong-Sheng Fang and<br/>Chung-Biau Tsay</b>  | 271 | Mathematical model and bearing contacts of the ZK-type worm gear set cut by oversize hob cutters                    |
| <b>Kwun-Lon Ting and<br/>Xiaohong Dou</b>       | 283 | Classification and branch identification of Stephenson six-bar chains                                               |
| <b>D. Surdilović and<br/>M. Vukobratović</b>    | 297 | One method for efficient dynamic modeling of flexible manipulators                                                  |
| <b>D. Surdilović and<br/>M. Vukobratović</b>    | 317 | Deflection compensation for large flexible manipulators                                                             |
| <b>Charles W. Wampler</b>                       | 331 | Forward displacement analysis of general six-in-parallel SPS (Stewart) platform manipulators using soma coordinates |
| <b>S. Doughty</b>                               | 339 | Single degree of freedom mechanism vibration near equilibrium                                                       |
| <b>Z. Luo, X. Sun and<br/>J. N. Fawcett</b>     | 345 | Coupled torsional-lateral-axial vibration analysis of a geared shaft system using substructure synthesis            |
| <b>Behrooz Fallahi</b>                          | 353 | A nonlinear finite element approach to kineto-static analysis of elastic beams                                      |

### NUMBER 4

- |                    |     |                                                                                   |
|--------------------|-----|-----------------------------------------------------------------------------------|
| <b>M. L. Husty</b> | 365 | An algorithm for solving the direct kinematics of general Stewart-Gough platforms |
|--------------------|-----|-----------------------------------------------------------------------------------|

- |                                                         |            |                                                                                                                      |
|---------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------------------------|
| <b>C. G. Gibson, D. Marsh<br/>and Y. Xiang</b>          | <b>381</b> | An algorithm to generate the transition curve of the planar four-bar mechanism                                       |
| <b>H. S. Yan, M. C. Tsai<br/>and M. H. Hsu</b>          | <b>397</b> | An experimental study of the effects of cam speeds on cam-follower systems                                           |
| <b>Jawaharlal Mariappan<br/>and Sundar Krishnamurty</b> | <b>413</b> | A generalized exact gradient method for mechanism synthesis                                                          |
| <b>Sumant Mauskar<br/>and Sundar Krishnamurty</b>       | <b>423</b> | A loop configuration approach to automatic sketching of mechanisms                                                   |
| <b>J. N. Yadav, C. R. Pratap<br/>and V. P. Agrawal</b>  | <b>439</b> | Computer aided detection of isomorphism among kinematic chains and mechanisms using the concept of modified distance |
| <b>José María Rico Martínez<br/>and Joseph Duffy</b>    | <b>445</b> | An application of screw algebra to the acceleration analysis of serial chains                                        |
| <b>Shao Jie Wang<br/>and Raj S. Sodhi</b>               | <b>459</b> | Kinematic synthesis of adjustable moving pivot four-bar mechanisms for multi-phase motion generation                 |
| <b>R. Maiti and A. K. Roy</b>                           | <b>475</b> | Minimum tooth difference in internal-external involute gear pair                                                     |
| <b>Kemal Özgür and Fuat Pasin</b>                       | <b>487</b> | Separation phenomena in force closed cam mechanisms                                                                  |
| <b>Ming Lun and Yonghou Leu</b>                         | <b>501</b> | Design of crank-rocker mechanisms with optimum transmission angle over working stroke                                |
| <b>Zhi-Kui Ling and<br/>Thomas R. Chase</b>             | <b>513</b> | A priori geometric design of an interference free complex planar mechanism                                           |
| <b>James C. Conwell and<br/>G. E. Johnson</b>           | <b>525</b> | Design, construction and instrumentation of a machine to measure tension and impact forces in roller chain drives    |
| <b>James C. Conwell and<br/>G. E. Johnson</b>           | <b>533</b> | Experimental investigation of link tension and roller-sprocket impact in roller chain drives                         |

#### NUMBER 5

- |                                                                                        |            |                                                                                    |
|----------------------------------------------------------------------------------------|------------|------------------------------------------------------------------------------------|
| <b>Koon-Ho Yang and<br/>Youn-Sik Park</b>                                              | <b>545</b> | Dynamic stability analysis of a closed-loop flexible link mechanism                |
| <b>M. J. Richard and<br/>B. Lévesque</b>                                               | <b>561</b> | Stochastic dynamical modelling of an open-chain manipulator in a fluid environment |
| <b>Giovanni Legnani,<br/>Federico Casolo,<br/>Paolo Righettini<br/>and Bruno Zappa</b> | <b>573</b> | A homogeneous matrix approach to 3D kinematics and dynamics—I. Theory              |

- |                                                                                        |     |                                                                                                                                |
|----------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------------------------------|
| <b>Giovanni Legnani,<br/>Federico Casalo,<br/>Paolo Righettini<br/>and Bruno Zappa</b> | 589 | A homogeneous matrix approach to 3D kinematics and dynamics—II. Applications to chains of rigid bodies and serial manipulators |
| <b>Guang-Jun Liu and<br/>Andrew A. Goldenberg</b>                                      | 607 | Asymptotically stable robust control of robot manipulators                                                                     |
| <b>Chuen-Sen Lin,<br/>Arthur G. Erdman and<br/>Bao-Ping Jia</b>                        | 619 | Use of compatibility linkages and solution structures in the dimensional synthesis of mechanism components                     |
| <b>Marco Ceccarelli</b>                                                                | 637 | A formulation for the workspace boundary of general <i>N</i> -revolute manipulators                                            |
| <b>Rachid Manseur<br/>and Keith L. Doty</b>                                            | 647 | Structural kinematics of 6-revolute-axis robot manipulators                                                                    |
| <b>Ahmad Smaili,<br/>Murali Kopparapu and<br/>Muhammad Sannah</b>                      | 659 | Elastodynamic response of a d.c. motor driven flexible mechanism system with compliant drive train components during start-up  |
| <b>Donyong Lee, Youngil Youm<br/>and Wankyun Chung</b>                                 | 673 | Mobility analysis of spatial 4- and 5-link mechanisms of the RS class                                                          |
| <b>V. F. Krasnikov</b>                                                                 | 691 | Simulation of automated manufacturing systems                                                                                  |
| <b>Yin-Ren Lee and<br/>Wen-Fang Wu</b>                                                 | 705 | A study of planar orbiting mechanism and its applications to scroll fluid machinery                                            |

#### NUMBER 6

- |                                                               |     |                                                                                                                            |
|---------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------------------------|
| <b>X. Li, G. R. Symmons and<br/>G. Cockerham</b>              | 717 | Optimal design of involute profile helical gears                                                                           |
| <b>E. R. Tuttle</b>                                           | 729 | Generation of planar kinematic chains                                                                                      |
| <b>Deng-Maw Lu,<br/>Chi-Feng Chang<br/>and Wen-Miin Hwang</b> | 749 | On the break-ups of spherical centre- and circle-point curves of the PP-PP case                                            |
| <b>Ziya Şaka</b>                                              | 763 | The RSSR mechanisms with partially constant transmission angle                                                             |
| <b>J. K. Dutt and B. C. Nakra</b>                             | 771 | Stability characteristics of rotating systems with journal bearings on viscoelastic support                                |
| <b>R. Ganesan</b>                                             | 781 | Dynamic response and stability of a rotor-support system with non-symmetric bearing clearances                             |
| <b>Bhaskar Dasgupta and<br/>T. S. Mruthyunjaya</b>            | 799 | A constructive predictor-corrector algorithm for the direct position kinematics problem for a general 6-6 Stewart platform |



- |                                               |            |                                                                                          |
|-----------------------------------------------|------------|------------------------------------------------------------------------------------------|
| <b>Masao Nishioka</b>                         | <b>813</b> | Modular structure of spatial cam-linkage mechanism                                       |
| <b>Dibakar Sen and<br/>T. S. Mruthyunjaya</b> | <b>821</b> | The question of minimax loop-size in planar homogeneous kinematic chains                 |
| <b>Tadeusz Mlynarski</b>                      | <b>831</b> | Position analysis of planar linkages using the method of modification of kinematic units |

#### NUMBER 7

- |                                                                                                                |            |                                                                                                                |
|----------------------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------------------|
| <b>Jao-Hwa Kuang<br/>and Wei-Liang Chen</b>                                                                    | <b>839</b> | Determination of tip parameters for the protuberance preshaping cutters                                        |
| <b>Cai-Fang Meng, Xi-Nian Lu,<br/>Yu-Hu Yang and Ce Zhang</b>                                                  | <b>851</b> | The high-order optimum synthesis of a driving mechanism with flexible connector                                |
| <b>Xiaojian Liu</b>                                                                                            | <b>859</b> | Sensitivity analysis of constrained flexible multibody systems with stability considerations                   |
| <b>J. N. Yadav, C. R. Pratap<br/>and V. P. Agrawal</b>                                                         | <b>865</b> | Mechanisms of a kinematic chain and the degree of structural similarity based on the concept of link-path code |
| <b>J. N. Yadav, C. R. Pratap<br/>and V. P. Agrawal</b>                                                         | <b>873</b> | Computer aided detection of isomorphism among binary chains using the link-link multiplicity distance concept  |
| <b>Shinn-Liang Chang,<br/>Chung-Biau Tsay<br/>and Long-long Wu</b>                                             | <b>879</b> | Mathematical model and undercutting analysis of elliptical gears generated by rack cutters                     |
| <b>Faydor L. Litvin<br/>and Pin-Hao Feng</b>                                                                   | <b>891</b> | Computerized design and generation of cycloidal gearings                                                       |
| <b>Khaled Khader,<br/>Sabry El-Shakery,<br/>Raafat Abou-Elnasr,<br/>Jorge Angeles<br/>and Mahmoud Moustafa</b> | <b>913</b> | The synthesis of a multi-step cam mechanism to drive a shaking belt conveyor                                   |
| <b>J. I. Pedrero and M. Artés</b>                                                                              | <b>925</b> | Approximate equation for the addendum modification factors for tooth gears with balanced specific sliding      |
| <b>J. I. Pedrero, M. Artés<br/>and J. C. García-Prada</b>                                                      | <b>937</b> | Determination of the addendum modification factors for gears with pre-established contact ratio                |
| <b>Yue-Qing Yu<br/>and M. R. Smith</b>                                                                         | <b>947</b> | The effect of cross-sectional parameters on the dynamics of elastic mechanisms                                 |
| <b>Oancea Nicolae</b>                                                                                          | <b>957</b> | Méthode numérique pour l'étude des surfaces enveloppées                                                        |
| <b>C. Nageswara Rao<br/>and A. C. Rao</b>                                                                      | <b>973</b> | Selection of best frame, input and output links for function generators modelled as probabilistic systems      |

- |                                                                    |            |                                                                    |
|--------------------------------------------------------------------|------------|--------------------------------------------------------------------|
| <b>Takehiko Nomura,<br/>Masakazu Miyashita<br/>and Akira Kanai</b> | <b>985</b> | <b>Review of carriage feed mechanism with nanometer resolution</b> |
|--------------------------------------------------------------------|------------|--------------------------------------------------------------------|

## NUMBER 8

- |                                                               |             |                                                                                                                                                   |
|---------------------------------------------------------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Z. Huang, W. S. Tao<br/>and Y. F. Fang</b>                 | <b>999</b>  | <b>Study on the kinematic characteristics of 3 DOF in-parallel actuated platform mechanisms</b>                                                   |
| <b>Z. Huang and Y. F. Fang</b>                                | <b>1009</b> | <b>Kinematic characteristics analysis of 3 DOF in-parallel actuated pyramid mechanisms</b>                                                        |
| <b>Keith G. Mattson<br/>and Gordon R. Pennock</b>             | <b>1019</b> | <b>The velocity problems of two 3-R robots manipulating a four-bar linkage payload</b>                                                            |
| <b>Evert A. Dijkman<br/>and Anton T. J. M. Smals</b>          | <b>1033</b> | <b><math>\lambda</math>-Formed 4-bar linkages set in a translation-position to design mechanisms approximating a straight line</b>                |
| <b>Steven A. Velinsky</b>                                     | <b>1043</b> | <b>Torsional stiffness of a machine drive element with tensile web structure</b>                                                                  |
| <b>J. K. Mills and G. Vukovich</b>                            | <b>1053</b> | <b>Stability problem formulation of structurally compliant robot manipulators during contact task execution: a singular perturbation approach</b> |
| <b>James K. Mills</b>                                         | <b>1069</b> | <b>Simultaneous control of robot manipulator impedance and generalized force and position</b>                                                     |
| <b>Ming J. Tsai,<br/>Jan-Shiung Sun<br/>and Jan-Chung Chu</b> | <b>1081</b> | <b>Kinematic design optimization of the variable lead screw mechanism with cone meshing element</b>                                               |
| <b>Adel K. Al-Sabeeh and<br/>Mohammad D. Al-Ansary</b>        | <b>1095</b> | <b>Kinematic characteristics and improvements for the modified intermittent gear mechanism</b>                                                    |
| <b>H. Du, M. K. Lim<br/>and K. M. Liew</b>                    | <b>1109</b> | <b>A nonlinear finite element model for dynamics of flexible manipulators</b>                                                                     |
| <b>Vilmos Simon</b>                                           | <b>1121</b> | <b>Stress analysis in worm gears with ground concave worm profile</b>                                                                             |
| <b>Vilmos Simon</b>                                           | <b>1131</b> | <b>Displacements in worm gears with ground concave worm profile</b>                                                                               |
| <b>Madhusudan Raghavan</b>                                    | <b>1141</b> | <b>Number and dimensional synthesis of independent suspension mechanisms</b>                                                                      |
| <b>Michael R. Hansen</b>                                      | <b>1155</b> | <b>A general method for analysis of planar mechanisms using a modular approach</b>                                                                |
| <b>J. Eddie Baker</b>                                         | <b>1167</b> | <b>On 5-revolute kinematic loops with intersecting adjacent joint axes</b>                                                                        |
| <b>Venkatesh A. Iyer</b>                                      | <b>1185</b> | <b>RECDWELL—computer aided design of six-link planar dwell mechanisms</b>                                                                         |



**A. C. Rao**

1195 Response to a Letter to the Editor (*Mech. Mach. Theory* **28**, 721–724 (1993)) concerning “Application of the Hamming number technique to detect isomorphism among kinematic chains and inversions” by A. C. Rao and D. V. Raju (*Mech. Mach. Theory* **26**, 55–75 (1991))

I Index for Volume 31 (1996)

